



Cleaner. Greener.

Neat+ The Next Generation



Since 2006, more than 50 million windows with Neat coated glass have been sold

Improved performance due to upgrades of both the quality and purity of the materials used

Neat+

- A durable, permanent coating
- Compatible with any standard cleaning product
- Requires no manual activation
- Is smoother than uncoated glass

Neat+ is Anti-Static

Neat+ is more conductive than uncoated glass


Conductivity inhibits the buildup of static electricity that attracts dust/dirt to the surface

Neat+ stays cleaner longer

Uncoated Glass




The glass surface can be statically charged and attract dust particles



Neat+ is conductive so dust particles are not attracted to the surface, reducing buildup

40% Less Dust vs Uncoated Glass



Anti-Static Dust Reduction Results – Outside Lab



Uncoated



Uncoated



Neat

Rain and condensation sheet off Neat® resulting in a clear view.


Neat+ Works With the Sun

Neat+ naturally reacts to the sun's UV rays to break down greenhouse gases like methane and other pollutants through photocatalysis

Neat+ is 25% more photoactive than original Neat

Neat+ Works With the Sun

Neat+ with enough UV from the sun, can result in a hydrophilic (sheets water) surface that dries ~3x faster than uncoated glass, resulting in fewer visible water spots



Neat+ Works With the Sun

The amount of sun's UV rays striking the Neat+ can be affected by

- Landscaping
- Roof Overhang
- Awnings
- Screens
- Window Orientation
- Proximity to other Homes

Patented Double-Sputtering

Neat+ starts with Cardinal's patented double-sputtering process

Neat+ and Cardinal's energy-efficient LoE[®] coatings are deposited in the same pass

Neat+ available with any LoE

NFRC recertification is not required

- No change to color or performance values

		LoE ² 272	Neat+ LoE ² 272	LoE ³ 366	Neat+ LoE ³ 366
Visible Light	Trans	72%		65%	
	Reflect	11%		11%	
	SHGC	0.41		0.27	
	Ufactor	0.25		0.24	

Neat+ Durability & Compatibility

- Neat+ has been tested for long term durability
 - Over 4,000 hours in a standardized environmental simulation test which includes:
 - Accelerated UV light
 - Humidity / Temperature cycling / Salt fog
 - Scratch resistance testing (no razor blades!!!)
- Compatibility testing for materials/chemicals that can contact Neat+ during and after manufacturing
 - Glass cleaning products
 - Manufacturing materials
 - Identification stickers
 - Handling gloves
 - Cutting oils

Neat+ vs Uncoated


	Uncoated	Neat+	Neat+ & Sun's UV
Anti-Static Less dust/dirt buildup	+	+	+
Cleans Easier Less dust/dirt to remove	+	+	+
Fewer Resources needed Less chemicals/water	+	+	+
Water can sheet Dries Faster / Fewer Water Spots	+	+	+
Decomposes Pollutants Such as Greenhouse Gases	+	+	+

Uncoated

Better



Best





Cleaner. Greener.

Westeck Windows Mfg. Inc.
Head Office, Plant & Showroom

8104 Evans Rd, Chilliwack
BC, V2R 5R8

Phone: 1-604-792-6700

Fax: 1-604-792-6714

Westeck Windows and Doors
Kelowna Showroom

#4 - 2720 HWY 97N, Kelowna
BC V1X 4J7

Phone: 1-250-862-3800

Fax: 1-250-862-3890

Westeck Windows and Doors
Nanaimo Showroom

4 – 4115 Mostar Road, Nanaimo
BC, V9T 5P8

Phone: 1-250-756-2922

Fax: 1-250-758-6725

Westeck Windows and Doors
Victoria Showroom

3942 Quadra St, Victoria
BC, V8X 1S6

Phone: 1-250-384-8881

Fax: 1-250-383-6729

Westeck Windows and Doors
Vancouver Showroom

1480 Kootenay St, Vancouver
BC, V5K 4R1

Phone: 1-604-298-6700

Fax: 1-604-298-5599

Westeck Windows Mfg. Inc.
Seattle Showroom

8902 122nd ave, Kirkland,
WA, 98033

Phone: 1-425-896-7025

Westeck Windows Mfg. Inc.

Bellingham Showroom

#102-4131 Hannegan Rd
Bellingham, WA, 98033

Phone: 1-425-577-3641



Phone: 1-604-792-6700

Fax: 1-604-792-6714

Toll-free (US/Canada): 1-877-606-1166

Email: sales@westeckwindows.com

Web: www.westeckwindows.com

**Windows and
Patio Openings**
Crafted For You